

Specifikacija armature R1

ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
POZ 100 i 101 - TEMELJI i PODNA PLOČA (1 kom.)						
1	<p>s=595 f=35 600</p>		18	600	30	180.00
2	<p>s=541 f=29 545</p>		18	545	2	10.90
3	<p>s=595 f=34 600</p>		18	600	32	192.00
4	<p>s=161 f=2 161</p>		18	161	2	3.22
5	<p>s=595 f=34 600</p>		18	600	32	192.00
6	<p>s=286 f=8 287</p>		18	287	2	5.74
7	<p>s=595 f=35 600</p>		12	600	15	90.00
8	<p>s=595 f=34 600</p>		12	600	15	90.00
9	<p>s=316 f=9 317</p>		12	317	1	3.17
10	<p>70 40 40 70</p>		10	242	354	856.68
11	<p>s=543 f=110 600</p>		18	600	8	48.00
12	<p>s=467 f=78 500</p>		18	500	2	10.00














Specifikacija armature R1

ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
13	<p>s=548 f=105 600</p>		18	600	10	60.00
14	<p>s=116 f=4 116</p>		18	116	2	2.32
15	<p>s=552 f=100 600</p>		18	600	10	60.00
16	<p>s=239 f=17 242</p>		18	242	2	4.84
17	<p>s=543 f=110 600</p>		12	600	4	24.00
18	<p>s=339 f=39 350</p>		12	350	1	3.50
19	<p>s=552 f=100 600</p>		12	600	5	30.00
20	<p>386 60 f=60</p>		18	476	42	199.92
21	<p>135 60 f=60</p>		18	225	42	94.50
22	<p>510 60 f=60</p>		12	570	14	79.80
23	<p>490 60 f=60</p>		12	550	14	77.00
24	<p>600</p>		18	600	42	252.00
25	<p>145 15</p>		14	160	218	348.80
26	<p>s=384 f=18 386 90 64 378</p>		18	476	2	9.52














Specifikacija armature R1

ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
27			18	490	2	9.80
28			18	483	2	9.66
29			12	476	1	4.76
30			12	490	1	4.90
31			12	360	16	57.60
32			12	350	14	49.00
33			12	600	18	108.00
34			12	600	23	138.00
35			12	215	3	6.45
36			12	214	4	8.56
37			10	142	200	284.00
38			12	234	3	7.02














Specifikacija armature R1















ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
39			12	238	4	9.52
40			12	351	6	21.06
41			12	361	8	28.88
42			12	334	6	20.04
43			12	332	6	19.92
44			14	124	8	9.92
45			10	278	5	13.90
46			8	145	18	26.10
47			12	180	9	16.20
48			8	98	16	15.68
49			12	250	3	7.50
50			8	90	452	406.80
51			12	236	3	7.08

Specifikacija armature R1














ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
52			8	104	3	3.12
53			8	108	3	3.24
54			8	116	3	3.48
55			8	120	3	3.60
56			8	128	3	3.84
57			8	132	3	3.96
58			12	149	3	4.47
59			12	280	1	2.80
60			12	255	1	2.55
61			8	100	1	1.00
63			8	106	1	1.06
64			8	110	1	1.10
65			8	112	1	1.12

Specifikacija armature R1















ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
66			8	116	1	1.16
67			8	118	1	1.18
68			8	122	1	1.22
69			8	126	1	1.26
70			8	128	1	1.28
71			8	132	1	1.32
72			8	134	1	1.34
73			8	138	2	2.76
74			12	600	28	168.00
75			12	486	2	9.72
76			12	364	2	7.28
77			8	95	276	262.20
78			12	252	6	15.12

Specifikacija armature R1						
ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
79	 180		12	180	6	10.80
80	 s=437 f=16 438		12	438	2	8.76
81	 209		12	209	2	4.18
83	 46 19 20 70		14	120	2	2.40
84	 71 70 27		14	141	2	2.82
85	 46 19 50 29 50		10	129	10	12.90
86	 46 19 50 10 27 50		10	127	10	12.70
87	 416 f=13 s=415		12	416	6	24.96
88	 415 f=13 s=414		12	415	8	33.20
89	 s=595 f=33 600		12	600	8	48.00
90	 s=451 f=19 454		12	454	4	18.16
91	 s=492 f=23 495		12	495	4	19.80
POZ102,103, 204 SERKLAŽI I NADVOJI (1 kom.)						
1	 407		14	407	50	203.50
2	 25 15 6 15 25		8	98	653	639.94



















Specifikacija armature R1

ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
3			8	98	883	865.34
4			14	247	4	9.88
5			8	78	1343	1047.54
6			14	404	164	662.56
7			8	118	21	24.78
8			8	158	391	617.78
9			14	600	45	270.00
10			14	187	3	5.61
11			14	600	45	270.00
12			14	101	3	3.03
13			14	309	4	12.36
14			14	600	20	120.00
15			14	525	24	126.00

Specifikacija armature R1

ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
16			14	600	4	24.00
17			14	525	4	21.00
18			14	190	4	7.60
19			14	600	8	48.00
20			14	600	8	48.00
21			14	478	2	9.56
22			14	171	2	3.42
23			14	473	2	9.46
24			8	78	29	22.62
25			14	456	2	9.12
26			14	451	2	9.02
27			14	140	4	5.60
28			14	600	3	18.00
29			14	600	6	36.00

Specifikacija armature R1

ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
30			14	502	3	15.06
31			8	184	52	95.68
32			12	600	14	84.00
33			12	587	1	5.87
34			12	379	4	15.16
35			12	317	2	6.34
36			8	95	386	366.70
37			12	600	1	6.00
38			12	502	1	5.02
39			12	200	4	8.00
40			12	150	4	6.00
41			12	476	1	4.76
42			12	589	2	11.78
43			12	286	2	5.72
44			12	93	4	3.72
45			12	140	6	8.40
46			12	175	4	7.00
47			14	266	52	138.32

Specifikacija armature R1

ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
48	<p>s=591 f=45 600</p>		14	600	10	60.00
49	<p>s=487 f=31 492</p>		14	492	4	19.68
50	<p>s=278 f=10 279</p>		14	279	2	5.58
51	<p>s=591 f=45 600</p>		14	600	10	60.00
52	<p>s=507 f=33 513</p>		14	513	4	20.52
53	<p>s=291 f=11 292</p>		14	292	2	5.84
54	<p>87 70</p>		14	158	158	249.64
55	<p>189 70</p>		14	259	48	124.32
56	<p>600 f=34 s=595</p>		14	600	10	60.00
57	<p>600 f=34 s=595</p>		14	600	10	60.00
58	<p>107 f=1 s=107</p>		14	107	2	2.14
59	<p>292 70</p>		14	362	48	173.76
60	<p>383</p>		14	383	24	91.92
61	<p>336</p>		14	336	16	53.76












Specifikacija armature R1

ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
62	<p>420</p>		14	490	4	19.60
63	<p>600</p> <p>f=79</p> <p>s=571</p>		14	600	6	36.00
64	<p>225</p>		14	295	4	11.80
65	<p>500</p>		14	570	4	22.80
66	<p>421</p>		14	491	4	19.64
67	<p>304</p>		14	374	4	14.96
68	<p>120</p> <p>f=3</p> <p>s=119</p>		14	120	3	3.60
69	<p>530</p> <p>f=60</p> <p>s=511</p>		14	600	3	18.00
70	<p>600</p> <p>f=77</p> <p>s=573</p>		14	600	3	18.00
71	<p>220</p> <p>f=11</p> <p>s=219</p>		14	221	3	6.63
72	<p>51</p> <p>15</p> <p>15</p> <p>51</p> <p>9</p>		8	150	54	81.00
73	<p>600</p> <p>f=59</p> <p>s=584</p>		14	600	2	12.00
74	<p>530</p> <p>f=45</p> <p>s=520</p>		14	600	2	12.00
75	<p>70</p> <p>s=252</p> <p>f=11</p> <p>253</p> <p>249</p> <p>36</p>		14	323	2	6.46














Specifikacija armature R1

ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
76	<p>338 f=19 s=336</p>		14	411	2	8.22
77	<p>600 f=46 s=591</p>		14	600	4	24.00
78	<p>600 f=46 s=590</p>		14	600	4	24.00
79	<p>475 f=29 s=470</p>		14	475	4	19.00
80	<p>490 f=31 s=485</p>		14	490	4	19.60
81	<p>378 f=18 s=376</p>		14	378	4	15.12
82	<p>371 f=18 s=369</p>		14	371	4	14.84
83	<p>103 15 9 15 103</p>		8	254	66	167.64
84	<p>600 f=43 s=592</p>		14	600	3	18.00
85	<p>600 f=43 s=592</p>		14	600	3	18.00
86	<p>197 f=5 s=196</p>		14	197	3	5.91
87	<p>207 f=5 s=206</p>		14	207	3	6.21
88	<p>56 15 9 15 56</p>		8	160	35	56.00














Specifikacija armature R1

ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
89			12	439	1	4.39
90			12	498	1	4.98
91			12	600	1	6.00
92			12	600	1	6.00
93			12	499	1	4.99
94			12	243	1	2.43
95			12	597	1	5.97
96			12	234	1	2.34
97			12	617	1	6.17
98			12	336	1	3.36
99			12	545	1	5.45















Specifikacija armature R1

ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
100			8	125	142	177.50
101			10	116	10	11.60
102			10	115	10	11.50
UNUTARNJE STEPENICE (1 kom.)						
1			14	398	2	7.96
2			14	500	2	10.00
3			14	262	2	5.24
4			10	512	1	5.12
5			14	245	2	4.90
6			14	277	2	5.54
7			8	98	47	46.06
8			14	600	2	12.00
9			8	87	77	66.99
11			14	529	2	10.58

Specifikacija armature R1

ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
13			10	341	2	6.82
14			10	341	2	6.82
VANJSKE STEPENICE (1 kom.)						
1			14	573	2	11.46
2			14	586	2	11.72
3			14	252	4	10.08
4			14	574	2	11.48
5			14	458	2	9.16
6			14	171	1	1.71
7			14	167	2	3.34
8			8	98	41	40.18
9			8	87	74	64.38
10			10	476	2	9.52
11			10	790	2	15.80

Specifikacija armature R1

ozn	oblik i mjere (cm)	GAØ (mm)	RAØ (mm)	l (cm)	k (kom)	d (m)
12			10	470	2	9.40
13			10	376	4	15.04
14			8	113	20	22.60
15			10	339	2	6.78
TEMELJI OGRADE (1 kom.)						
1			8	90	1632	1468.80
2			10	600	192	1152.00
SPREMIŠTE ZA SMEĆE (1 kom.)						
1			12	216	4	8.64
2			12	256	4	10.24
3			8	90	116	104.40
4			12	275	6	16.50
5			12	316	3	9.48
6			12	213	10	21.30
7			12	352	4	14.08
8			8	70	14	9.80

Rekapitulacija armature R1			
\emptyset (mm)	d (m)	kg/m'	Težina (kg)
RA 400/500			
8	6733.55	0.409	2754.02
10	2430.58	0.649	1577.45
12	1599.85	0.920	1471.86
14	3925.76	1.252	4915.05
$\emptyset \leq 14$			10718.38
18	1344.42	2.050	2756.06
$\emptyset > 14$			2756.06
Ukupno			13474.44

Specifikacija mreža R1						
Pozicija	Oznaka tipa	B (cm)	L (cm)	k (kom)	Težina (kg/m2)	Ukupna težina (kg)
POZ 100 i 101 - TEMELJI i PODNA PLOČA (1 kom.)						
I	Q-283	215.00	600.00	68	4.48	3929.86
I - 1	Q-283	215.00	415.00	2	4.48	79.95
I - 2	Q-283	215.00	600.00	32	4.48	1849.34
I - 3	Q-283	215.00	393.00	2	4.48	75.71
I - 4	Q-283	215.00	326.00	2	4.48	62.80
I - 5	Q-283	215.00	210.00	2	4.48	40.45
I - 6	Q-283	215.00	593.00	2	4.48	114.24
I - 7	Q-283	215.00	349.00	2	4.48	67.23
I - 8	Q-283	215.00	560.00	2	4.48	107.88
I - 9	Q-283	129.00	579.00	2	4.48	66.92
I - 10	Q-283	129.00	600.00	2	4.48	69.35
I - 11	Q-283	215.00	414.00	2	4.48	79.75
I - 12	Q-283	215.00	403.00	2	4.48	77.63
I - 13	Q-283	215.00	348.00	2	4.48	67.04
I - 14	Q-283	215.00	245.00	2	4.48	47.20
I - 15	Q-283	138.00	88.00	2	4.48	10.88
I - 16	Q-283	215.00	420.00	2	4.48	80.91
I - 17	Q-283	86.00	105.00	2	4.48	8.09
I - 18	Q-283	89.00	190.00	2	4.48	15.15
I - 19	Q-283	172.00	600.00	2	4.48	92.47
I - 20	Q-283	171.00	600.00	2	4.48	91.93
II - 1	Q-283	202.00	104.00	1	4.48	9.41
II - 2	Q-283	215.00	104.00	1	4.48	10.02
II - 3	Q-283	72.00	338.00	1	4.48	10.90
II - 4	Q-283	215.00	412.00	2	4.48	79.37
II - 5	Q-283	106.00	372.00	1	4.48	17.67
III - 1	Q-283	215.00	600.00	1	4.48	57.79
III - 2	Q-283	215.00	300.00	1	4.48	28.90
III - 3	Q-283	215.00	421.00	1	4.48	40.55
III - 4	Q-283	125.00	600.00	1	4.48	33.60
III - 5	Q-283	125.00	65.00	1	4.48	3.64
III - 6	Q-283	104.00	162.00	1	4.48	7.55
IV - 1	Q-283	215.00	600.00	4	4.48	231.17
IV - 2	Q-283	215.00	264.00	2	4.48	50.86
IV - 3	Q-283	148.00	426.00	2	4.48	56.49
IV - 4	Q-283	122.00	600.00	2	4.48	65.59
IV - 5	Q-283	112.00	264.00	2	4.48	26.49

Specifikacija mreža R1						
Pozicija	Oznaka tipa	B (cm)	L (cm)	k (kom)	Težina (kg/m2)	Ukupna težina (kg)
V - 1	Q-283	215.00	600.00	4	4.48	231.17
V - 2	Q-283	215.00	131.00	2	4.48	25.24
V - 3	Q-283	215.00	96.00	2	4.48	18.49
V - 4	Q-283	215.00	513.00	2	4.48	98.82
V - 5	Q-283	199.00	308.00	2	4.48	54.92
VI - 1	Q-785	215.00	97.00	2	12.46	51.97
VI - 2	Q-785	215.00	128.00	2	12.46	68.58
VI - 3	Q-785	215.00	164.00	2	12.46	87.87
VI - 4	Q-785	215.00	207.00	2	12.46	110.91
VI - 5	Q-785	215.00	266.00	1	12.46	71.26
VI - 6	Q-785	215.00	311.00	1	12.46	83.31
VI - 7	Q-785	111.00	148.00	1	12.46	20.47
VI - 8	Q-785	215.00	511.00	1	12.46	136.89
VI - 9	Q-785	144.00	455.00	1	12.46	81.64
VI - 10	Q-785	147.00	600.00	2	12.46	219.79
VI - 11	Q-785	215.00	281.00	1	12.46	75.28
VI - 12	Q-785	215.00	517.00	1	12.46	138.50
VI - 13	Q-785	107.00	269.00	1	12.46	35.86
VI - 14	Q-785	215.00	241.00	1	12.46	64.56
VI - 15	Q-785	135.00	125.00	1	12.46	21.03
VI - 16	Q-785	215.00	98.00	2	12.46	52.51
VI - 17	Q-785	215.00	129.00	2	12.46	69.12
VI - 18	Q-785	215.00	165.00	2	12.46	88.40
VI - 19	Q-785	215.00	209.00	2	12.46	111.98
VI - 20	Q-785	215.00	269.00	1	12.46	72.06
VI - 21	Q-785	215.00	306.00	1	12.46	81.97
VI - 22	Q-785	105.00	140.00	1	12.46	18.32
VI - 23	Q-785	215.00	545.00	1	12.46	146.00
VI - 24	Q-785	137.00	442.00	1	12.46	75.45
VI - 25	Q-785	215.00	292.00	1	12.46	78.22
VI - 26	Q-785	215.00	509.00	1	12.46	136.36
VI - 27	Q-785	100.00	256.00	1	12.46	31.90
VI - 28	Q-785	215.00	237.00	1	12.46	63.49
VI - 29	Q-785	129.00	120.00	1	12.46	19.29
VI - 30	Q-785	215.00	46.00	1	12.46	12.32
VII - 1	Q-785	136.00	273.00	1	12.46	46.26
VII - 2	Q-785	215.00	403.00	1	12.46	107.96
VII - 3	Q-785	182.00	306.00	1	12.46	69.39
VIII - 1	Q-785	84.00	600.00	2	12.46	125.60

Specifikacija mreža R1						
Pozicija	Oznaka tipa	B (cm)	L (cm)	k (kom)	Težina (kg/m2)	Ukupna težina (kg)
VIII - 2	Q-785	84.00	160.00	2	12.46	33.49
VIII - 3	Q-785	212.00	160.00	1	12.46	42.26
VIII - 4	Q-785	212.00	600.00	1	12.46	158.49
VIII - 5	Q-785	114.00	262.00	1	12.46	37.22
VIII - 6	Q-785	215.00	380.00	1	12.46	101.80
VIII - 7	Q-785	215.00	413.00	3	12.46	331.92
VIII - 8	Q-785	215.00	411.00	2	12.46	220.21
VIII - 9	Q-785	167.00	313.00	1	12.46	65.13
VIII - 10	Q-785	174.00	318.00	1	12.46	68.94
VIII - 11	Q-785	215.00	419.00	2	12.46	224.49
VIII - 12	Q-785	215.00	379.00	1	12.46	101.53
VIII - 13	Q-785	106.00	240.00	1	12.46	31.70
VIII - 14	Q-785	127.00	290.00	1	12.46	45.89
VIII - 15	Q-785	215.00	387.00	1	12.46	103.67
VIII - 16	Q-785	215.00	400.00	1	12.46	107.16
VIII - 17	Q-785	151.00	304.00	1	12.46	57.20
VIII - 18	Q-785	213.00	600.00	1	12.46	159.24
VIII - 19	Q-785	213.00	160.00	1	12.46	42.46
VIII - 20	Q-785	69.00	157.00	1	12.46	13.50
VIII - 21	Q-785	215.00	354.00	1	12.46	94.83
VIII - 22	Q-785	212.00	339.00	1	12.46	89.55
IX - 1	Q-785	124.00	252.00	1	12.46	38.94
IX - 2	Q-785	215.00	472.00	1	12.46	126.44
IX - 3	Q-785	215.00	481.00	1	12.46	128.86
IX - 4	Q-785	131.00	261.00	1	12.46	42.60
X - 1	Q-785	215.00	102.00	2	12.46	54.65
X - 2	Q-785	215.00	93.00	1	12.46	24.91
X - 3	Q-785	119.00	66.00	1	12.46	9.79
X - 4	Q-785	215.00	324.00	1	12.46	86.80
X - 5	Q-785	215.00	234.00	1	12.46	62.69
X - 6	Q-785	215.00	600.00	2	12.46	321.47
X - 7	Q-785	215.00	584.00	1	12.46	156.45
X - 8	Q-785	96.00	427.00	1	12.46	51.08
X - 9	Q-785	215.00	380.00	1	12.46	101.80
X - 10	Q-785	215.00	290.00	1	12.46	77.69
X - 11	Q-785	215.00	449.00	1	12.46	120.28
X - 12	Q-785	215.00	386.00	1	12.46	103.41
X - 13	Q-785	90.00	228.00	1	12.46	25.57
X - 14	Q-785	170.00	513.00	1	12.46	108.66

Specifikacija mreža R1						
Pozicija	Oznaka tipa	B (cm)	L (cm)	k (kom)	Težina (kg/m2)	Ukupna težina (kg)
X - 15	Q-785	215.00	422.00	1	12.46	113.05
X - 16	Q-785	165.00	314.00	1	12.46	64.56
XI - 1	Q-283	145.00	324.00	2	4.48	42.09
XI - 2	Q-283	215.00	600.00	8	4.48	462.34
XI - 3	Q-283	80.00	226.00	2	4.48	16.20
XI - 4	Q-283	215.00	493.00	2	4.48	94.97
XI - 5	Q-283	114.00	247.00	4	4.48	50.46
XI - 6	Q-283	213.00	600.00	4	4.48	229.02
XI - 7	Q-283	147.00	326.00	2	4.48	42.94
XI - 8	Q-283	81.00	226.00	2	4.48	16.40
XI - 9	Q-283	215.00	492.00	2	4.48	94.78
XII - 1	Q-283	215.00	600.00	6	4.48	346.75
XII - 2	Q-283	117.00	252.00	2	4.48	26.42
XII - 3	Q-283	215.00	495.00	2	4.48	95.36
XII - 4	Q-283	93.00	248.00	2	4.48	20.67
XII - 5	Q-283	169.00	377.00	2	4.48	57.09
XIII - 1	Q-283	215.00	600.00	6	4.48	346.75
XIII - 2	Q-283	46.00	376.00	2	4.48	15.50
XIII - 3	Q-283	116.00	250.00	2	4.48	25.98
XIII - 4	Q-283	100.00	260.00	2	4.48	23.30
XIII - 5	Q-283	215.00	494.00	2	4.48	95.16
XIII - 6	Q-283	183.00	412.00	2	4.48	67.55
XIII - 7	Q-283	94.00	49.00	2	4.48	4.13
Ukupno						16992.11
POZ102,103, 204 SERKLAŽI I NADVOJI (1 kom.)						
I	Q-335	215.00	600.00	46	5.26	3121.28
I - 1	Q-335	68.00	600.00	2	5.26	42.92
I - 2	Q-335	61.00	279.00	2	5.26	17.90
I - 3	Q-335	215.00	600.00	50	5.26	3392.70
I - 4	Q-335	189.00	399.00	2	5.26	79.33
I - 5	Q-335	199.00	240.00	2	5.26	50.24
I - 6	Q-335	215.00	514.00	2	5.26	116.26
I - 7	Q-335	215.00	155.00	2	5.26	35.06
I - 8	Q-335	215.00	450.00	2	5.26	101.78
I - 9	Q-335	215.00	544.00	2	5.26	123.04
I - 10	Q-335	215.00	289.00	2	5.26	65.37
I - 11	Q-335	215.00	284.00	4	5.26	128.47
I - 12	Q-335	92.00	122.00	2	5.26	11.81

Specifikacija mreža R1

Pozicija	Oznaka tipa	B (cm)	L (cm)	k (kom)	Težina (kg/m2)	Ukupna težina (kg)
I - 13	Q-335	215.00	373.00	2	5.26	84.37
I - 14	Q-335	215.00	410.00	2	5.26	92.73
I - 15	Q-335	215.00	145.00	2	5.26	32.80
I - 16	Q-335	215.00	335.00	2	5.26	75.77
I - 17	Q-335	215.00	413.00	2	5.26	93.41
I - 18	Q-335	215.00	408.00	2	5.26	92.28
I - 19	Q-335	215.00	370.00	2	5.26	83.69
I - 20	Q-335	215.00	147.00	2	5.26	33.25
I - 21	Q-335	215.00	504.00	2	5.26	113.99
I - 22	Q-335	186.00	225.00	2	5.26	44.03
I - 23	Q-335	178.00	377.00	2	5.26	70.60
I - 24	Q-335	60.00	600.00	2	5.26	37.87
I - 25	Q-335	50.00	230.00	2	5.26	12.10
II - 1	Q-335	215.00	413.00	2	5.26	93.41
II - 2	Q-335	215.00	354.00	2	5.26	80.07
II - 3	Q-335	103.00	153.00	2	5.26	16.58
III - 1	Q-335	191.00	309.00	1	5.26	31.04
III - 2	Q-335	215.00	505.00	1	5.26	57.11
III - 3	Q-335	87.00	511.00	1	5.26	23.38
IV - 1	Q-335	215.00	446.00	1	5.26	50.44
IV - 2	Q-335	139.00	511.00	1	5.26	37.36
V - 1	Q-335	139.00	263.00	1	5.26	19.23
VI - 1	Q-335	207.00	299.00	1	5.26	32.56
VI - 2	Q-335	215.00	600.00	3	5.26	203.56
VI - 3	Q-335	215.00	454.00	1	5.26	51.34
VI - 4	Q-335	215.00	275.00	1	5.26	31.10
VI - 5	Q-335	215.00	273.00	1	5.26	30.87
VI - 6	Q-335	215.00	47.00	1	5.26	5.32
VI - 7	Q-335	215.00	309.00	2	5.26	69.89
VI - 8	Q-335	214.00	45.00	1	5.26	5.07
VI - 9	Q-335	215.00	430.00	1	5.26	48.63
VI - 10	Q-335	183.00	600.00	1	5.26	57.75
VI - 11	Q-335	158.00	237.00	1	5.26	19.70
VI - 12	Q-335	53.00	458.00	1	5.26	12.77
VII - 1	Q-335	200.00	487.00	2	5.26	102.46
VIII - 1	Q-335	200.00	490.00	3	5.26	154.64
IX - 1	Q-335	110.00	486.00	1	5.26	28.12
X - 1	Q-335	215.00	600.00	8	5.26	542.83
X - 2	Q-335	215.00	246.00	2	5.26	55.64

Specifikacija mreža R1						
Pozicija	Oznaka tipa	B (cm)	L (cm)	k (kom)	Težina (kg/m2)	Ukupna težina (kg)
X - 3	Q-335	215.00	341.00	2	5.26	77.13
X - 4	Q-335	111.00	118.00	2	5.26	13.78
X - 5	Q-335	215.00	499.00	2	5.26	112.86
X - 6	Q-335	215.00	429.00	2	5.26	97.03
X - 7	Q-335	215.00	488.00	2	5.26	110.38
X - 8	Q-335	215.00	521.00	2	5.26	117.84
X - 9	Q-335	215.00	414.00	2	5.26	93.64
X - 10	Q-335	48.00	98.00	2	5.26	4.95
Ukupno						10641.53
UNUTARNJE STEPENICE (1 kom.)						
I - 1	Q-335	190.00	515.00	2	5.26	102.94
II - 1	Q-335	150.00	529.00	2	5.26	83.48
III - 1	Q-335	180.00	342.00	2	5.26	64.76
Ukupno						251.18
VANJSKE STEPENICE (1 kom.)						
I - 1	Q-188	215.00	130.00	4	2.96	33.09
I - 2	Q-188	117.00	130.00	1	2.96	4.50
II - 1	Q-188	215.00	130.00	4	2.96	33.09
II - 2	Q-188	141.00	130.00	1	2.96	5.43
III - 1	Q-188	144.00	298.00	4	2.96	50.81
Ukupno						126.92
TEMELJI OGRADE (1 kom.)						
I - 1	Q-188	215.00	80.00	120	2.96	610.94
I - 2	Q-188	140.00	80.00	24	2.96	79.56
II - 1	Q-188	215.00	111.00	120	2.96	847.68
II - 2	Q-188	140.00	111.00	24	2.96	110.40
Ukupno						1648.59
SPREMIŠTE ZA SMEĆE (1 kom.)						
I - 1	Q-188	196.00	156.00	2	2.96	18.10
II - 1	Q-188	155.00	213.00	4	2.96	39.09
III - 1	Q-188	196.00	213.00	2	2.96	24.71
Ukupno						81.91

Rekapitulacija mreža R1

Oznaka tipa	B (cm)	L (cm)	k (kom)	Težina (kg/m ²)	Ukupna težina (kg)
Q-283	215.00	600.00	192	4.48	11096.06
Q-785	215.00	600.00	47	12.46	7554.50
Q-335	215.00	600.00	173	5.26	11738.74
Q-188	215.00	600.00	58	2.96	2214.67
Ukupno					32603.98